

- 1 **EU - TYPE EXAMINATION CERTIFICATE**
- 2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres**
Directive 2014/34/EU
- 3 EU - Type Examination Certificate Number: **Baseefa16ATEX0121**
- 4 Product: **K1 Series Switchbox**
- 5 This certificate is held by: **Topworx Incorporated**
- 6 Address: **3300 Fern Valley Road, Louisville, Kentucky, 40213, USA**
- 7 This product and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.
- 8 SGS Baseefa, Notified Body number 1180, in accordance with Article 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive.
- The examination and test results are recorded in confidential Report No. **GB/BAS/ExTR16.0223/00**
- 9 Compliance with the Essential Health and Safety Requirements has been assured by compliance with:
EN60079-0: 2012 +A11: 2013 EN60079-1: 2014 EN60079-31: 2014
- except in respect of those requirements listed at item 18 of the Schedule.
- 10 If the sign "X" is placed after the certificate number, it indicates that the product is subject to the Specific Conditions of Use specified in the schedule to this certificate.
- 11 This EU - TYPE EXAMINATION CERTIFICATE relates only to the design and construction of the specified product. Further requirements of the Directive apply to the manufacturing process and supply of this product. These are not covered by this certificate.
- 12 The marking of the product shall include the following :
⊗ **II 2 GD Ex db IIC T* Gb**
Ex tb IIIC T*°C Db IP66/67/68**
Ta (see schedule)
Alternative marking
⊗ **II 2 GD Ex db IIC T6/T4 Gb**
Ex tb IIC T85°C / T135°C Db IP**
Ta (see schedule)
- SGS Baseefa Customer Reference No. **2191** Project File No. **16/0330**

This document is issued by the Company subject to its General Conditions for Certification Services accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and the Supplementary Terms and Conditions accessible at <http://www.sgs.com/SGSBaseefa/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Baseefa Limited

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601

e-mail baseefa@sgs.com web site www.sgs.co.uk/baseefa

Registered in England No. 4305578.

Registered address: Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN



R S SINCLAIR

TECHNICAL MANAGER

On behalf of SGS Baseefa Limited

13 **Schedule**

14 **Certificate Number Baseefa16ATEX0121**

15 **Description of Product**

The Type K1 Series switchbox comprises an upper and base housing manufactured from aluminium alloy, or stainless steel. The two halves are secured by two M6 screws of minimum grade A2-70 stainless steel.

The enclosure may contain terminals, an electronics module, and cams attached to a shaft which passes through the base housing. The cams operate switches, proximity sensors or potentiometers. The upper housing is fitted with a shaft, driven from the cam shaft, to provide an external visual indication of shaft position. The combination of switches, sensors, proximity sensors or potentiometers etc are coded for temperature classification and maximum ambient temperature as listed. The maximum ratings are specified on the schedule drawings.

The base is provided with up to two threaded cable entries, and the position monitor is rated up to 275V 10A.

Cable entry holes are provided as specified on the certified drawings for the accommodation of flameproof cable entry devices, with or without the interposition of a flameproof thread adaptor. Unused entries are to be fitted with certified flameproof stopping plugs.

When used in an explosive dust atmosphere the cable entry devices shall maintain the ingress protection of the enclosure. The cable entry devices, thread adaptors and stopping plugs shall be suitable for the equipment, the cable and the conditions of use, and shall be certified as Equipment (not a Component)

For subtypes identified as EC4.x – T4/T135°C (Ta -60°C to +80°C)
For subtypes identified as EC4H.x – T4/T135°C (Ta -60°C to +120°C)
For subtypes identified as EC6.x – T6/T85°C (Ta -60°C to +40°C)
For subtypes identified as EC6H.x – T6/T85°C (Ta -60°C to +70°C)

16 **Report Number**

SGS Baseefa Report No GB/BAS/ExTR16.0223/00

17 **Specific Conditions of Use**

None

18 **Essential Health and Safety Requirements**

In addition to the Essential Health and Safety Requirements (EHSRs) covered by the standards listed at item 9, the following are considered relevant to this product, and conformity is demonstrated in the report:

Clause	Subject
1.4.1	External effects
1.4.2	Aggressive substances, etc.

19 **Drawings and Documents**

Number	Sheet	Issue	Date	Description
*C13843	1	1	19/09/16	Certification label – Topworx K1 Series Ex d IIC Switchbox
*C13830	1	1	23/09/16	Topworx K1 Series Ex db IIC
*C13830	2	1	23/09/16	Topworx K1 Series Ex db IIC Dual marking parameters
Baseefa11ATEX0010	-	-	22/02/11	Type 007-100 IIC Position Monitor

*These documents are common to, and held with IECEX BAS 16.0092